

| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Succo di mela torbido     |
|----------------------|---------------------------|
| Produktbeschreibung  | Apfeldirektsaft naturtrüb |
| Product description  | Cloudy apple juice        |

### Ingredients

Apple juice, anti-oxidant: ascorbic acid

# Sensory proprieties

The cloudy apple juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |          |
|-----------------------------------|---------|----------|
| Analyses                          | Unit    | Range    |
| Brix                              | degrees | 11,2-13  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,8-5    |
| Turbidity                         | NTU     | 400-2000 |
| pH                                |         | <4       |
| Pulp                              | %       | <0,3     |
| Ascorbic acid                     | ppm     | 100-500  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bag in 200 L drums             | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 L box            | 12 months after production date at temperature |
|  | 0-25°C   |

### Raw material und legislation

The cloudy apple juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di mela limpido |
|----------------------|-----------------------|
| Produktbeschreibung  | Apfeldirektsaft blank |
| Product description  | Clear apple juice     |

### Ingredients

Apple juice, anti-oxidant: ascorbic acid

# Sensory proprieties

The clear apple juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | 11,2-13 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,8-5   |  |
| Turbidity                         | NTU     | <10     |  |
| pH                                |         | <4      |  |
| Ascorbic acid                     | ppm     | 100-500 |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic bags in 200 lt drums                             | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature<br>0-25°C       |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

### Raw material und legislation

The clear apple juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Succo di mela torbido biologico |
|----------------------|---------------------------------|
| Produktbeschreibung  | Bio-Apfeldirektsaft naturtrüb   |
| Product description  | Organic cloudy apple juice      |

### Ingredients

Apple juice\*, anti-oxidant: ascorbic acid \*from organic agriculture

### **Sensory proprieties**

The organic cloudy apple juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |          |  |
|-----------------------------------|---------|----------|--|
| Analyses                          | Unit    | Range    |  |
| Brix                              | degrees | 11,2-13  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,8-5    |  |
| Turbidity                         | NTU     | 400-2000 |  |
| pH                                |         | <4       |  |
| Pulp                              | %       | <0,3     |  |
| Ascorbic acid                     | ppm     | 100-500  |  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 12 months after production date at temperature |
|  | 0-25°C   |

### Raw material und legislation

The organic cloudy apple juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Succo di mela torbido Demeter     |
|----------------------|-----------------------------------|
| Produktbeschreibung  | Demeter-Apfeldirektsaft naturtrüb |
| Product description  | Demeter cloudy apple juice        |

Ingredients

Apple juice\*,

\*from organic and biodynamic agriculture

### **Sensory proprieties** The demeter cloudy apple juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |          |  |
|-----------------------------------|---------|----------|--|
| Analyses                          | Unit    | Range    |  |
| Brix                              | degrees | 11,2-13  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,8-5    |  |
| Turbidity                         | NTU     | 400-2000 |  |
| pH                                |         | <4       |  |
| Pulp                              | %       | <0,3     |  |
|                                   |         |          |  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 12 months after production date at temperature |
|  | 0-25°C   |

### Raw material und legislation

The Demeter cloudy apple juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation. The production follows organic Reg. (CE) N.834/2007 and (CE) N.889/2008 and the biodynamic guidelines –Norme direttive (Standard) per il conseguimento dell'autorizzazione all'uso del marchio Demeter.Trasformazione-giugno 2007- and -Norme direttive (Standard) per l'etichettatura dei prodotti Demeter



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di mela limpido 20 brix |
|----------------------|-------------------------------|
| Produktbeschreibung  | Apfeldirektsaft blank 20 Brix |
| Product description  | Clear apple juice 20 brix     |

### Ingredients

Apple juice, anti-oxidant: ascorbic acid

### **Sensory proprieties** The clear apple juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | >19     |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >2.5    |
| Turbidity                         | NTU     | <10     |
| pH                                |         | <4      |
| Ascorbic acid                     | ppm     | 100-500 |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 12 months after production date at temperature |
|  | 0-25°C   |

### Raw material und legislation

The clear apple juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di mela limpido 40 brix |
|----------------------|-------------------------------|
| Produktbeschreibung  | Apfeldirektsaft blank 40 Brix |
| Product description  | Clear apple juice 40 brix     |

### Ingredients

Clear apple juice concentrate

### **Sensory proprieties** The clear apple juice concentrate has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |       |
|-----------------------------------|---------|-------|
| Analyses                          | Unit    | Range |
| Brix                              | degrees | >40   |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 15-30 |
| Turbidity                         | NTU     | <10   |
| pH                                |         | <4    |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 12 months after production date at temperature |
|  | 0-25°C   |

### Raw material und legislation

The clear apple juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Succo di mela Cripps Pink torbido     |
|----------------------|---------------------------------------|
| Produktbeschreibung  | Cripps Pink Apfeldirektsaft naturtrüb |
| Product description  | Cripps Pink cloudy apple juice        |

### Ingredients

Cripps Pink apple juice, anti-oxidant: ascorbic acid

### **Sensory proprieties**

The Cripps Pink cloudy apple juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |          |
|-----------------------------------|---------|----------|
| Analyses Unit                     |         | Range    |
| Brix                              | degrees | >11.8    |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >3.8     |
| Turbidity                         | NTU     | 400-2000 |
| pH                                |         | <4       |
| Pulp                              | %       | <0,3     |
| Ascorbic acid                     | ppm     | 100-500  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 12 months after production date at temperature |
|  | 0-25°C   |

### Raw material und legislation

The Cripps Pink cloudy apple juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Final product specification |
|-----------------------------|
|-----------------------------|

| Descrizione prodotto | Succo di pera torbido      |
|----------------------|----------------------------|
| Produktbeschreibung  | Birnendirektsaft naturtrüb |
| Product description  | Cloudy pear juice          |

Ingredients

Pear juice, anti-oxidant: ascorbic acid

| Sensory proprieties  |
|--|
| The cloudy pear juice has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters      |         |          |  |
|-----------------------------------|---------|----------|--|
| Analyses Unit                     |         | Range    |  |
| Brix                              | degrees | 11,2-14  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3.5    |  |
| Turbidity                         | NTU     | 500-2000 |  |
| pH                                |         | <4,8     |  |
| Pulp                              | %       | <0,3     |  |
| Ascorbic acid                     | ppm     | 100-500  |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The cloudy pear juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| ĺ | Scheda tecnica prodotto finito |  |
|---|--------------------------------|--|
|   | 1                              |  |
|   | Fertigproduktspezifikation     |  |
|   | Final product specification    |  |
|   | i mai produce specification    |  |

| Descrizione prodotto | Succo di pera Williams torbido     |
|----------------------|------------------------------------|
| Produktbeschreibung  | Williamsbirnendirektsaft naturtrüb |
| Product description  | Cloudy Williams pear juice         |

Ingredients

Pear juice, anti-oxidant: ascorbic acid

### **Sensory proprieties**

The cloudy Williams pear juice has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |          |  |
|-----------------------------------|---------|----------|--|
| Analyses Unit Range               |         |          |  |
| Brix                              | degrees | 11,2-14  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2-4      |  |
| Turbidity                         | NTU     | 500-2000 |  |
| pH                                |         | <4,2     |  |
| Pulp                              | %       | <0,3     |  |
| Ascorbic acid                     | ppm     | 100-500  |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The cloudy Williams pear juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant. Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. Organic production is possible according to the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008. The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Succo di pera Williams torbido biologico |
|----------------------|--|
| Produktbeschreibung  | Bio-Williamsbirnendirektsaft naturtrüb   |
| Product description  | Organic cloudy pear juice Williams       |

### Ingredients

Pear juice\*, anti-oxidant: ascorbic acid \*from organic agriculture

### **Sensory proprieties**

The organic cloudy Williams pear juice has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |          |
|-----------------------------------|---------|----------|
| Analyses                          | Unit    | Range    |
| Brix                              | degrees | 11,2-14  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2-4      |
| Turbidity                         | NTU     | 500-2000 |
| pH                                |         | <4,2     |
| Pulp                              | %       | <0,3     |
| Ascorbic acid                     | ppm     | 100-500  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The organic cloudy pear juice Williams is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant. Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. Organic production follows the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008. The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Succo di pera torbido biologico |
|----------------------|---------------------------------|
| Produktbeschreibung  | Bio-Birnendirektsaft naturtrüb  |
| Product description  | Organic cloudy pear juice       |

### Ingredients

Pear juice\*, anti-oxidant: ascorbic acid \*from organic agriculture

### Sensory proprieties

The organic cloudy pear juice has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |          |  |
|-----------------------------------|---------|----------|--|
| Analyses                          | Unit    | Range    |  |
| Brix                              | degrees | 11,2-14  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3.5    |  |
| Turbidity                         | NTU     | 500-2000 |  |
| pH                                |         | <4,8     |  |
| Pulp                              | %       | <0,3     |  |
| Ascorbic acid                     | ppm     | 100-500  |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The organic cloudy pear juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic production follows the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008. The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di pera torbido da agricoltura biodinamica Demeter |
|----------------------|--|
| Produktbeschreibung  | Demeter-Birnendirektsaft naturtrüb                       |
| Product description  | Demeter cloudy pear juice                                |

Ingredients

Pear juice\*,

\*from organic and biodynamic agriculture

### **Sensory proprieties** The Demeter cloudy pear juice has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |          |  |
|-----------------------------------|---------|----------|--|
| Analyses                          | Unit    | Range    |  |
| Brix                              | degrees | 11,2-14  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3.5    |  |
| Turbidity                         | NTU     | 500-2000 |  |
| pH                                |         | <4,8     |  |
| Pulp                              | %       | <0,3     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The Demeter cloudy pear juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic/biodynamic production follows the Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 and the guide line for Demeter production (Norme direttive (Standard) per il conseguimento dell'autorizzazione all'uso del marchio Demeter. Trasformazione.-giugno 2007-Norme direttive (Standard) per l'etichettatura dei prodotti Demeter con il nuovo logo Demeter) The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito                            |  |
|---|--|
| Fertigproduktspezifikation<br>Final product specification |  |

| Descrizione prodotto | Succo di pesca torbido       |
|----------------------|------------------------------|
| Produktbeschreibung  | Pfirsichdirektsaft naturtrüb |
| Product description  | Cloudy peach juice           |

| Ingredients                              |
|--|
| Peach juice, anti-oxidant: ascorbic acid |

| Sensory proprieties   |  |
|---|--|
| The cloudy peach juice has good colour and taste and smell typical of high quality fruits |  |

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >10     |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >6      |  |
| Turbidity                         | NTU     | >400    |  |
| pH                                |         | <4      |  |
| Ascorbic acid                     | ppm     | 100-500 |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

### Raw material und legislation

The cloudy peach juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di albicocca torbido    |
|----------------------|-------------------------------|
| Produktbeschreibung  | Aprikosendirektsaft naturtrüb |
| Product description  | Cloudy apricot juice          |

### Ingredients

Apricot juice, anti-oxidant: ascorbic acid

### Sensory proprieties

The cloudy apricot juice has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >10     |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >8      |  |
| Turbidity                         | NTU     | >400    |  |
| pH                                |         | <4      |  |
| Ascorbic acid                     | ppm     | 100-500 |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The cloudy apricot juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Succo di mirtillo torbido      |
|----------------------|--------------------------------|
| Produktbeschreibung  | Blaubeerendirektsaft naturtrüb |
| Product description  | Cloudy blueberry juice         |

| Ingredients                                  |
|--|
| Blueberry juice, anti-oxidant: ascorbic acid |

### Sensory proprieties The cloudy blueberry juice has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | >8      |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 12-16   |
| Turbidity                         | NTU     | >400    |
| pH                                |         | <3.6    |
| Ascorbic acid                     | ppm     | 100-500 |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The cloudy blueberry juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di uva rossa o bianca         |
|----------------------|-------------------------------------|
| Produktbeschreibung  | Roter oder weißer Traubendirektsaft |
| Product description  | Red or white grape juice            |

| Ingredients  |  |
|--------------|--|
| Grape juice, |  |

| Sensory proprieties  |  |
|--|--|
| Grape juice has good colour and taste and smell typical of high quality fruits |  |

| Chemical-physical parameters      |         |       |
|-----------------------------------|---------|-------|
| Analyses                          | Unit    | Range |
| Brix                              | Degrees | 16-18 |
| pH                                |         | <3.8  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >5    |
| Sulfur dioxide                    | mg/l    | <10   |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

Grape juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di uva rossa o bianca biologico   |
|----------------------|---|
| Produktbeschreibung  | Bio-Roter oder weißer Traubendirektsaft |
| Product description  | Organic red or white grape juice        |

| Ingredients                |
|----------------------------|
| Grape juice*,              |
| *from organic agriculture, |

# **Sensory proprieties**

The organic grape juice has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | Degrees | 16-18 |  |
| pH                                | _       | <3.8  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >5    |  |
| Sulfur dioxide                    | mg/l    | <10   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The organic grape juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. Organic production follows the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008. The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Succo di mela e lampone torbido    |
|----------------------|------------------------------------|
| Produktbeschreibung  | Apfel- Himbeerdirektsaft naturtrüb |
| Product description  | Cloudy apple raspberry juice       |

### Ingredients

Apple juice (80%), raspberry juice (20%); anti-oxidant: ascorbic acid

### **Sensory proprieties**

The cloudy apple and raspberry juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |          |
|-----------------------------------|---------|----------|
| Analyses                          | Unit    | Range    |
| Brix                              | degrees | 11,2-13  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 4-8      |
| Turbidity                         | NTU     | 500-2000 |
| pH                                |         | <4       |
| Pulp                              | %       | <0,3     |
| Ascorbic acid                     | ppm     | 100-500  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                  |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                        |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 8 months after production date at temperature    |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 8 months after production date at temperature    |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 8 months after production date at temperature 0- |
|  | 25°C   |

### Raw material und legislation

The cloudy apple and raspberry juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo concentrato di ciliegia |
|----------------------|-------------------------------|
| Produktbeschreibung  | Süßkirschsaftkonzentrat       |
| Product description  | Cherry juice concentrate      |

### Ingredients

Cherry juice concentrate

| Sensory proprieties        |  |
|----------------------------|--|
| The cherry juice concentra | te has good colour and taste and smell typical of high quality fruits. |

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >65   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >40   |  |
| Turbidity                         | NTU     | <10   |  |
| pH                                |         | <3.8  |  |
|                                   |         |       |  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 12 months after production date at temperature |
|  | 0-25°C   |

### Raw material und legislation

The cherry juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Purea di pera            |
|----------------------|--------------------------|
| Produktbeschreibung  | Birnenmark aus Süβbirnen |
| Product description  | Pear puree               |

### Ingredients

Pear puree, anti-oxidant: ascorbic acid

### **Sensory proprieties**

The pear puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | 11,2-13 |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3.5   |
| pH                                |         | <4,5    |
| Bostwick                          | cm/30"  | <10     |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5     |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature 0-25°C    |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature<br>0-25°C |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature<br>0-25°C |

### Raw material und legislation

The pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |
|---|
|---|

| Descrizione prodotto | Purea di pera biologica      |
|----------------------|------------------------------|
| Produktbeschreibung  | Bio-Birnenmark aus Süβbirnen |
| Product description  | Organic pear puree           |

### Ingredients

Pear puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

### **Sensory proprieties**

The organic pear puree has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | 11,2-13 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3.5   |  |
| pH                                |         | <4,5    |  |
| Bostwick                          | cm/30"  | <10     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |  |
|---|--|--|
| Packaging                                 | Best before end                                |  |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |  |
| temperature 0-5°C                         |  |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |  |
|   | 0-25°C   |  |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |  |
|   | 0-25°C   |  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |  |
|   | 0-25°C   |  |

### Raw material und legislation

The organic pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di pera Demeter            |
|----------------------|----------------------------------|
| Produktbeschreibung  | Birnenmark aus Süβbirnen Demeter |
| Product description  | Pear puree Demeter               |

# Ingredients

Pear puree\* \*from organic and biodynamic agriculture

### **Sensory proprieties**

The pear puree Demeter has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | 11,2-13 |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3.5   |
| pH                                |         | <4,5    |
| Bostwick                          | cm/30"  | <10     |
| Sieve                             | mm      | 0,5     |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature 0-25°C    |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature<br>0-25°C |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature<br>0-25°C |

### Raw material und legislation

The pear puree Demeter is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Demeter production follows the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 and the Demeter directives

The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di pera 20 brix            |
|----------------------|----------------------------------|
| Produktbeschreibung  | Birnenmark aus Süβbirnen 20 Brix |
| Product description  | Pear puree 20 brix               |

Ingredients

Pear puree, anti-oxidant: ascorbic acid

### Sensory proprieties

The pear puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | 20-22   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3.5   |  |
| pH                                |         | <4,5    |  |
| Bostwick                          | cm/30"  | <12     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

#### HANS KLOTZ GmbH/Srl Selected fruit and vegetables Etschufer/Lungo Adige 12 H I-39100 Bozen/Bolzano (BZ) Tel. +39 0471 633 425 Fax +39 0471 633 550

info@klotz.it - www.klotz.it



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |
|                                |  |

| Descrizione prodotto | Purea di pera 30 brix            |
|----------------------|----------------------------------|
| Produktbeschreibung  | Birnenmark aus Süβbirnen 30 Brix |
| Product description  | Pear puree 30 brix               |

# Ingredients

Pear puree, anti-oxidant: ascorbic acid

### **Sensory proprieties**

The pear puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | 30-33   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 3-8     |  |
| pH                                |         | <4,5    |  |
| Bostwick                          | cm/30"  | <8      |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature<br>0-25°C       |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

### Raw material und legislation

The pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant. Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg.

CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. Organic production is possible according to the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di pera densa                   |
|----------------------|---------------------------------------|
| Produktbeschreibung  | Dickflüßiges Birnenmark aus Süßbirnen |
| Product description  | Thick pear puree                      |

### Ingredients

Pear puree, anti-oxidant: ascorbic acid

### **Sensory proprieties** The thick pear puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >10,5   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3.5   |  |
| pH                                |         | <4,5    |  |
| Bostwick                          | cm/30"  | <5      |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature<br>0-25°C       |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

### Raw material und legislation

The thick pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Purea di pera William      |
|----------------------|----------------------------|
| Produktbeschreibung  | Birnenmark Williams Christ |
| Product description  | William pear puree         |

| Ingredients                                     |
|---|
| William pear puree, anti-oxidant: ascorbic acid |

### Sensory proprieties The William pear puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | >12     |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2-4     |
| pH                                |         | <4,1    |
| Bostwick                          | cm/30"  | <10     |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5     |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The William pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Purea di pera William biologica |
|----------------------|---------------------------------|
| Produktbeschreibung  | Bio-Birnenmark Williams Christ  |
| Product description  | Organic william pear puree      |

### Ingredients

Williams pear puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

### Sensory proprieties The organic Williams pear pure has good colour, taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | >12     |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2-4     |
| pH                                |         | <4,1    |
| Bostwick                          | cm/30"  | <10     |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5     |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The organic William pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di pera Williams Demeter         |
|----------------------|--|
| Produktbeschreibung  | Birnenmark aus Williams Christ Demeter |
| Product description  | Pear puree Williams Demeter            |

# Ingredients Pear puree demeter

| Sensory proprieties  |
|--|
| The pear puree Williams Demeter has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >12   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2-4   |  |
| pH                                |         | <4,1  |  |
| Bostwick                          | cm/30"  | <10   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature<br>0-25°C       |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

### Raw material und legislation

The pear puree Williams Demeter is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Demeter production follows the Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 and the Demeter directives

The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di pera Williams densa             |
|----------------------|--|
| Produktbeschreibung  | Dickflüssiges Birnenmark Williams Christ |
| Product description  | Thick William pear puree                 |

### Ingredients

William pear puree, anti-oxidant: ascorbic acid

### **Sensory proprieties** The thick William pear puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >10,5   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2-4     |  |
| pH                                |         | <4,1    |  |
| Bostwick                          | cm/30"  | <5      |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The thick William pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di pera 70% Williams, 30% pera dolce    |
|----------------------|---|
| Produktbeschreibung  | Birnenmark 70% Williams Christ, 30% Süβbirnen |
| Product description  | Pear puree 70% Williams, 30% sweet pear       |

Ingredients

pear puree, anti-oxidant: ascorbic acid

### **Sensory proprieties** The pear puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | >12     |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >2      |
| pH                                |         | <4,3    |
| Bostwick                          | cm/30"  | <12     |
| Ascorbic acid                     | ppm     | 100-400 |
| Sieve                             | mm      | 0,5     |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The pear puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible.

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| rinal product specification   |  |

| Descrizione prodotto | Purea di mela |
|----------------------|---------------|
| Produktbeschreibung  | Apfelmark     |
| Product description  | Apple puree   |

### Ingredients

Apple puree, anti-oxidant: ascorbic acid

### Sensory proprieties

The apple puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | 11,2-13 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,5-4   |  |
| pH                                |         | <4      |  |
| Bostwick                          | cm/30"  | <10     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The apple puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Final product specification | Scheda tecnica prodotto finito                            |  |
|-----------------------------|---|--|
|                             | Fertigproduktspezifikation<br>Final product specification |  |

| Descrizione prodotto | Purea di mela Golden Delicious monovarietale |
|----------------------|--|
| Produktbeschreibung  | Apfelmark Golden Delicious sortenrein        |
| Product description  | Apple puree Golden Delicious monovarietal    |

### Ingredients

Apple puree Golden Delicious, anti-oxidant: ascorbic acid

| Sensory proprieties   |
|---|
| The apple puree Golden Delicious has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | 11,2-13 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,5-4   |  |
| pH                                |         | <4      |  |
| Bostwick                          | cm/30"  | <10     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The apple puree Golden Delicious is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica pro | odotto finito |  |  |  |
|--------------------|---------------|--|--|--|
| Fertigproduktspez  | tifikation    |  |  |  |
| Final product spec | cification    |  |  |  |
|                    |               |  |  |  |

| Descrizione prodotto | Purea di mela Demeter |
|----------------------|-----------------------|
| Produktbeschreibung  | Apfelmark Demeter     |
| Product description  | Apple puree Demeter   |

Ingredients

Apple puree\*

\*from organic and biodynamic agriculture

### Sensory proprieties

The apple puree Demeter has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | 11,2-13 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,5-4   |  |
| pH                                |         | <4      |  |
| Bostwick                          | cm/30"  | <10     |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

### Raw material und legislation

The apple puree Demeter is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Demeter production follows the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 and the Demeter directives

The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Purea di mela biologica |
|----------------------|-------------------------|
| Produktbeschreibung  | Bio-Apfelmark           |
| Product description  | Organic apple puree     |

### Ingredients

Apple puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

### **Sensory proprieties**

The organic apple puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | 11,2-13 |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,5-4   |
| pH                                |         | <4      |
| Bostwick                          | cm/30"  | <10     |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5     |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The organic apple puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation or to treatment with gases.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Purea di mela Granny Smith |
|----------------------|----------------------------|
| Produktbeschreibung  | Apfelmark aus Granny Smith |
| Product description  | Apple puree Granny Smith   |

### Ingredients

Apple puree, anti-oxidant: ascorbic acid

### Sensory proprieties

The apple puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >11,2   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | > 4,5   |  |
| pH                                |         | <4      |  |
| Bostwick                          | cm/30"  | <10     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

### Raw material und legislation

The apple puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003 and do not contain allergens according to Reg CE 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di mela 20 brix |
|----------------------|-----------------------|
| Produktbeschreibung  | Apfelmark 20 Brix     |
| Product description  | Apple puree 20 brix   |

Ingredients Apple puree, anti-oxidant: ascorbic acid

### Sensory proprieties The apple puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | 20-22   |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,5-4   |
| pH                                |         | <4      |
| Bostwick                          | cm/30"  | <10     |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5     |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

### Raw material und legislation

The apple puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di mela 30 brix |
|----------------------|-----------------------|
| Produktbeschreibung  | Apfelmark 30 Brix     |
| Product description  | Apple puree 30 brix   |

Ingredients Apple puree, anti-oxidant: ascorbic acid

#### Sensory proprieties The apple puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | 30-33   |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 7-12    |
| pH                                |         | <4      |
| Bostwick                          | cm/30"  | <8      |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5     |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

## Raw material und legislation

The apple puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Purea di mela densa     |
|----------------------|-------------------------|
| Produktbeschreibung  | Dickflüssiges Apfelmark |
| Product description  | Thick apple puree       |

| Ingredients                              |
|--|
| Apple puree, anti-oxidant: ascorbic acid |

#### Sensory proprieties The thickapple puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | 10.5-13 |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2,5-4   |
| pH                                |         | <4      |
| Bostwick                          | cm/30"  | <5      |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5     |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The thick apple puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di mela controllata    |
|----------------------|------------------------------|
| Produktbeschreibung  | Apfelmark V.O.               |
| Product description  | Apple puree spray controlled |

#### Ingredients

Apple puree, anti-oxidant: ascorbic acid

| Sensory proprieties  |
|--|
| The apple puree has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters    |         |       |
|---------------------------------|---------|-------|
| Analyses                        | Unit    | Range |
| Brix                            | degrees | 12-14 |
| Acidity (citric acid at pH 8.1) | g/kg    | <7    |
| pH                              |         | <4    |
| Bostwick                        | cm/30'' | 8-10  |
| Sieve                           | mm      | 0.5   |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

#### Raw material und legislation

The apple puree spray controlled is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

The product is designated for baby food

The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Purea di albicocca |
|----------------------|--------------------|
| Produktbeschreibung  | Aprikosenmark      |
| Product description  | Apricot puree      |

#### Ingredients

Apricot puree, anti-oxidant: ascorbic acid

## Sensory proprieties

The apricot puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >11.2   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10     |  |
| pH                                |         | <3,8    |  |
| Bostwick                          | cm/30"  | <15     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The apricot puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Purea di albicocca biologica |
|----------------------|------------------------------|
| Produktbeschreibung  | Bio-Aprikosenmark            |
| Product description  | Organic apricot puree        |

#### Ingredients

Apricot puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

#### **Sensory proprieties**

The organic apricot puree has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | >11.2   |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10     |
| pH                                |         | <3,8    |
| Bostwick                          | cm/30"  | <15     |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5     |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The organic apricot puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible.

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Organic production follows Reg. (CE) N.834/2007and Reg. (CE) N.889/2008



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di albicocca Demeter |
|----------------------|----------------------------|
| Produktbeschreibung  | Demeter-Aprikosenmark      |
| Product description  | Demeter apricot puree      |

Ingredients

Apricot puree\*

\*from organic and biodynamic agriculture

| Sensory proprieties  |  |
|--|--|
| The apricot puree has good colour and taste and smell typical of high quality fruits |  |

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >11.2 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10   |  |
| pH                                |         | <3,8  |  |
| Bostwick                          | cm/30"  | <15   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery   |   |
|--|---|
| Packaging  | Best before end   |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                 |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature 0-<br>25°C |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature 0-<br>25°C |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-<br>25°C |

## Raw material und legislation

The Demeter apricot puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation. The production follows organic Reg. (CE) N.834/2007 and (CE) N.889/2008 and the biodynamic guidelines –Norme direttive (Standard) per il conseguimento dell'autorizzazione all'uso del marchio Demeter.Trasformazione-giugno 2007- and -Norme direttive (Standard) per l'etichettatura dei prodotti Demeter



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Purea di pesca |
|----------------------|----------------|
| Produktbeschreibung  | Pfirsichmark   |
| Product description  | Peach puree    |

| Ingredients                              |
|--|
| Peach puree, anti-oxidant: ascorbic acid |

#### Sensory proprieties The peach puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >9      |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >5      |  |
| pH                                |         | <3,8    |  |
| Bostwick                          | cm/30"  | <15     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature<br>0-25°C       |

## Raw material und legislation

The peach puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Purea di pesca biologica |
|----------------------|--------------------------|
| Produktbeschreibung  | Bio-Pfirsichmark         |
| Product description  | Organic peach puree      |

#### Ingredients

Peach puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

#### **Sensory proprieties**

The peach puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >9      |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >5      |  |
| pH                                |         | <3,8    |  |
| Bostwick                          | cm/30"  | <15     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The organic peach puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Organic production follows Reg. (CE) N.834/2007and Reg. (CE) N.889/2008



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Purea di nettarina biologica |
|----------------------|------------------------------|
| Produktbeschreibung  | Bio-Nektarinenmark           |
| Product description  | Organic nectarine puree      |

#### Ingredients

Nectarine puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

#### **Sensory proprieties**

The peach puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >9      |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >5      |  |
| pH                                |         | <3,8    |  |
| Bostwick                          | cm/30'' | <15     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The organic nectarine puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Organic production follows Reg. (CE) N.834/2007and Reg. (CE) N.889/2008



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |   |
|--|---|
| Final product specification                                  | L |

| Descrizione prodotto | Purea di pesca Demeter |
|----------------------|------------------------|
| Produktbeschreibung  | Pfirsichmark Demeter   |
| Product description  | Peach puree Demeter    |

Ingredients
Peach puree\*
\*from organic and biodynamic agriculture

#### Sensory proprieties The peach puree Demeter has good colour and taste and smell typical of high quality fruits

The peach puree Demeter has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >9    |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >5    |  |
| pH                                |         | <3,8  |  |
| Bostwick                          | cm/30"  | <15   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The peach puree Demeter is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Demeter production follows the Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 and the Demeter directives

The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Purea di prugna |
|----------------------|-----------------|
| Produktbeschreibung  | Pflaumenmark    |
| Product description  | Plum puree      |

| Ingredients                             |  |
|---|--|
| Plum puree, anti-oxidant: ascorbic acid |  |

#### Sensory proprieties The plum puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >11     |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 5-9     |  |
| pH                                |         | <3,8    |  |
| Bostwick                          | cm/30"  | <14     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The plum puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di prugna biologica |
|----------------------|---------------------------|
| Produktbeschreibung  | Bio-Pflaumenmark          |
| Product description  | Plum puree organic        |

| Ingredients                              |
|--|
| Plum puree*, anti-oxidant: ascorbic acid |
| *from organic agriculture                |

## **Sensory proprieties** The plum puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >11     |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 5-9     |  |
| pH                                |         | <3,8    |  |
| Bostwick                          | cm/30"  | <14     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 5 days if stored at 0-5°C                                      |
| Aseptic polyethylene bags in 200 lt drums                | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bags in octabins or arcabins                     | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box                             | 12 months after production date at temperature 0-25°C          |

## Raw material und legislation

The organic plum puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Organic production follows Reg. (CE) N.834/2007and Reg. (CE) N.889/2008



| Final product specification |
|-----------------------------|
|-----------------------------|

| Descrizione prodotto | Purea di mirtillo |
|----------------------|-------------------|
| Produktbeschreibung  | Heidelbeermark    |
| Product description  | Blueberry puree   |

| Ingredients      |  |
|------------------|--|
| Blueberry puree, |  |
|                  |  |

| Sensory proprieties |   |  |
|---------------------|---|--|
|                     | The blue berry puree has good colour and taste and smell typical of high quality fruits |  |

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >9    |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10   |  |
| pH                                |         | <3,6  |  |
| Bostwick                          | cm/30"  | <20   |  |
|                                   |         |       |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The blueberry puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. Organic production is possible according to the Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di mirtillo biologico |
|----------------------|-----------------------------|
| Produktbeschreibung  | Bio-Heidelbeermark          |
| Product description  | Blueberry puree organic     |

| Ingredients               |
|---------------------------|
| Blue berry puree*         |
| *from organic agriculture |

#### Sensory proprieties The blue berry puree organic has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >9    |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10   |  |
| pH                                |         | <3,6  |  |
| Bostwick                          | cm/30"  | <20   |  |
|                                   |         |       |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The organic blueberry puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| rinal product specification   |  |

| Descrizione prodotto | Purea di kiwi |
|----------------------|---------------|
| Produktbeschreibung  | Kiwimark      |
| Product description  | Kiwi puree    |

#### Ingredients

Kiwi puree, anti-oxidant: ascorbic acid

#### **Sensory proprieties** The kiwi puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >10   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10   |  |
| pH                                |         | <3,6  |  |
| Bostwick                          | cm/30"  | <16   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | of 0-5°C                                       |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The kiwi puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Purea di kiwi biologica |
|----------------------|-------------------------|
| Produktbeschreibung  | Bio-Kiwimark            |
| Product description  | Organic kiwi puree      |

| Ingredients               |  |
|---------------------------|--|
| Kiwi puree*               |  |
| *from organic agriculture |  |

## Sensory proprieties

The organic kiwi puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >10   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10   |  |
| pH                                |         | <3,6  |  |
| Bostwick                          | cm/30"  | <16   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | of -20°C                                       |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The organic kiwi puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Organic production follows Reg. (CE) N.834/2007and Reg. (CE) N.889/2008



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Purea di kiwi demeter |
|----------------------|-----------------------|
| Produktbeschreibung  | Demeter-Kiwimark      |
| Product description  | Demeter kiwi puree    |

Ingredients

Kiwi puree\*

\*from organic and biodynamic agriculture

| Sensory proprieties   |
|---|
| The demeter kiwi puree has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters      |         |             |  |
|-----------------------------------|---------|-------------|--|
| Analyses                          | Unit    | Range       |  |
| Brix                              | degrees | >10         |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10         |  |
| pH                                |         | >10<br><3,6 |  |
| Bostwick                          | cm/30"  | <16         |  |
| Sieve                             | mm      | 0,5         |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | of -20°C                                       |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The demeter kiwi puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Demeter production follows the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 and the Demeter directives

The product is not exposed to ionizing radiation.

Scheda tecnica prodotto finito



| 01 | roduktspezifikation<br>roduct specification |  |
|----|---|--|
|----|---|--|

| Descrizione prodotto | Purea di fragola |
|----------------------|------------------|
| Produktbeschreibung  | Erdbeermark      |
| Product description  | Strawberry puree |

| Ingredients |
|-------------|
|-------------|

Strawberry puree, anti-oxidant: ascorbic acid

#### **Sensory proprieties**

The strawberry puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |  |
|-----------------------------------|---------|---------|--|
| Analyses                          | Unit    | Range   |  |
| Brix                              | degrees | >6.5    |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >7      |  |
| pH                                |         | <4      |  |
| Bostwick                          | cm/30'' | <18     |  |
| Ascorbic acid                     | ppm     | 100-500 |  |
| Sieve                             | mm      | 0,5     |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The strawberry pure is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di fragola bio     |
|----------------------|--------------------------|
| Produktbeschreibung  | Bio-Erdbeermark          |
| Product description  | Organic strawberry puree |

#### Ingredients

Strawberry puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

#### Sensory proprieties The organic strawberry puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >6.5  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >7    |  |
| pH                                |         | <4    |  |
| Bostwick                          | cm/30"  | <18   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12months after production date at temperature  |
|   | 0-5°C  |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The organic strawbery puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| That product specification  |  |

| Descrizione prodotto | Purea di fragola demeter |
|----------------------|--------------------------|
| Produktbeschreibung  | Demeter-Erdbeermark      |
| Product description  | Demeter strawberry puree |

Ingredients

Strawberry puree\*

\*from organic and biodynamic agriculture

| Se | ory proprieties   |              |
|----|---|--------------|
| Th | demeter strawberry puree has good colour and taste and smell typical of high qu | ality fruits |

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >6.5  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >7    |  |
| pH                                |         | <4    |  |
| Bostwick                          | cm/30"  | <18   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | of 0-5°C                                       |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The demeter strawberry pure is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Demeter production follows the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 and the Demeter directives

The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di lampone |
|----------------------|------------------|
| Produktbeschreibung  | Himbeermark      |
| Product description  | Raspberry puree  |
|                      |                  |

## Ingredients

Raspberry puree,

| Sensory proprieties  |  |
|--|--|
| The raspberry puree has good colour and taste and smell typical of high quality fruits |  |

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >7.5  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10   |  |
| pH                                |         | <3.5  |  |
| Bostwick                          | cm/30"  | <14   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

## Raw material und legislation

The raspberry puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|---|--|
| Final product specification   |  |

| Descrizione prodotto | Purea di lampone biologica |
|----------------------|----------------------------|
| Produktbeschreibung  | Bio-Himbeermark            |
| Product description  | Raspberry puree organic    |

#### Ingredients

Raspberry puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

## Sensory proprieties The raspberry puree organic has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >7,5  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >10   |  |
| pH                                |         | <3.5  |  |
| Bostwick                          | cm/30"  | <14   |  |
| Sieve                             | mm      | 0,5   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

#### Raw material und legislation

The organic raspberry puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di banana |
|----------------------|-----------------|
| Produktbeschreibung  | Bananenmark     |
| Product description  | Banana puree    |

#### Ingredients

Banana puree, acidifier: citric acid (0.5%), anti-oxidant: ascorbic acid

Sensory proprieties The banana puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | 22+-2   |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 3.5-7   |
| pH                                |         | <5      |
| Bostwick                          | cm/30"  | 2.5-6.5 |
| Ascorbic acid                     | ppm     | 100-500 |
|                                   |         |         |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature 0-25°C          |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature 0-25°C          |

#### Raw material und legislation

The banana puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant and citric acid for pH adjustment. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. Organic production is possible according to the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di mango |
|----------------------|----------------|
| Produktbeschreibung  | Mangomark      |
| Product description  | Mango puree    |
| rioduct description  | Mango purce    |

## Ingredients

Mango puree

| Sensory proprieties  |
|--|
| The mango puree has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters      |         |       |
|-----------------------------------|---------|-------|
| Analyses                          | Unit    | Range |
| Brix                              | degrees | >14   |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 5-7   |
| pH                                |         | 3.5-4 |
| Bostwick                          | cm/30"  | 8-13  |
|                                   |         |       |

| Delivery                                  |   |
|---|---|
| Packaging                                 | Best before end   |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature $0-5^{\circ}C$ |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature $0-5^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature $0-5^{\circ}C$ |

## Raw material und legislation

Mango puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di mela cotogna |
|----------------------|-----------------------|
| Produktbeschreibung  | Quittenmark           |
| Product description  | Quince puree          |

#### Ingredients

Quince puree; antioxidant: ascorbic acid

| Sensory proprieties   |
|---|
| The quince puree has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | >12     |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >7      |
| pH                                |         | <3.8    |
| Bostwick                          | cm/30"  | <8      |
| Ascorbic acid                     | ppm     | 100-500 |

| Delivery                                  |   |
|---|---|
| Packaging                                 | Best before end   |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature $0-5^{\circ}C$ |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature $0-5^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature $0-5^{\circ}C$ |

#### Raw material und legislation

Quince puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Final product specification |
|-----------------------------|
|-----------------------------|

| Descrizione prodotto | Purea di mela cotogna biologica |
|----------------------|---------------------------------|
| Produktbeschreibung  | Bio-Quittenmark                 |
| Product description  | Organic quince puree            |

#### Ingredients

Quince puree\*, anti-oxidant: ascorbic acid \*from organic agriculture

#### **Sensory proprieties**

The organic quince puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |         |
|-----------------------------------|---------|---------|
| Analyses                          | Unit    | Range   |
| Brix                              | degrees | >12     |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >7      |
| pH                                |         | <3.8    |
| Bostwick                          | cm/30"  | <8      |
| Ascorbic acid                     | ppm     | 100-500 |
| Sieve                             | mm      | 0,5-1,2 |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The organic quince puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008

The product is not exposed to ionizing radiation or to treatment with gases.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di amarena  |
|----------------------|-------------------|
| Produktbeschreibung  | Sauerkirschmark   |
| Product description  | Sour cherry puree |

| Ingredients       |  |
|-------------------|--|
| Sour cherry puree |  |

| Sensory proprieties                       |  |
|---|--|
| The sour cherry puree has good colour and | taste and smell typical of high quality fruits |

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >12.4 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 14-20 |  |
| pH                                |         | <3.9  |  |
|                                   |         |       |  |

| Delivery                                  |   |
|---|---|
| Packaging                                 | Best before end   |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature $0-5^{\circ}C$ |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature $0-5^{\circ}C$ |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature $0-5^{\circ}C$ |

#### Raw material und legislation

The sour cherry puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Purea di carota demeter |
|----------------------|-------------------------|
| Produktbeschreibung  | Demeter-Karottenmark    |
| Product description  | Demeter carrot puree    |

#### Ingredients

Carrot puree\*(99%), lemon juice concentrate \*\*(1%) \*from organic and biodynamic agriculture, \*\*from organic agricolture

#### Sensory proprieties The demeter carrot puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >6.5  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-3   |  |
| pH                                |         | <5    |  |
| Bostwick                          | cm/30"  | <15   |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | of -20°C                                       |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-5°C  |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-5°C  |

#### Raw material und legislation

The demeter carrot puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13. The product is not exposed to ionizing radiation.

Demeter production follows the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 and the Demeter directives

The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di ribes nero       |
|----------------------|---------------------------|
| Produktbeschreibung  | Schwarze Johannisbeermark |
| Product description  | Blackcurrant puree        |

#### Ingredients

Blackcurrant puree,

#### **Sensory proprieties**

The blackcurrant puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters    |         |           |
|---------------------------------|---------|-----------|
| Analyses                        | Unit    | Range     |
| Brix                            | degrees | 10.5-16   |
| Acidity (citric acid at pH 8.1) | g/kg    | 26.7-40.1 |
| pH                              |         | <3.2      |
| Bostwick                        | cm/30"  | >20       |
|                                 |         |           |

| Delivery                                     |  |
|--|--|
| Packaging                                    | Best before end                                |
| Aseptic polyethylene bags in 200 lt drums    | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in 1000 lt octabins or arcabins | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box                 | 12 months after production date at temperature |
|  | 0-25°C   |

## Raw material und legislation

The blackcurrant puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13. Organic production is possible according to the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008

The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Purea di ciliegia corniola biologica |
|----------------------|--------------------------------------|
| Produktbeschreibung  | Bio-Kornellkirschmark                |
| Product description  | Cornel cherry puree organic          |

| Ingredients               |
|---------------------------|
| Cornel cherry puree*      |
| *from organic agriculture |

## Sensory proprieties The organic Cornel cherry puree has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | Degrees | >10   |  |
| pH                                |         | <3.3  |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >15   |  |
| Bostwick                          | cm/30"  | <20   |  |
|                                   |         |       |  |

| Delivery                                  |  |
|---|--|
| Packaging                                 | Best before end                                |
| Bulk product sent in isolated tanks at    | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                         |  |
| Aseptic polyethylene bags in 200 lt drums | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bags in octabins or arcabins      | 12 months after production date at temperature |
|   | 0-25°C   |
| Aseptic bag in 3 or 5 lt box              | 12 months after production date at temperature |
|   | 0-25°C   |

## Raw material und legislation

The organic cornel cherry puree is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation or to treatment with gases.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Macinato di mela |
|----------------------|------------------|
| Produktbeschreibung  | Apfelmaische     |
| Product description  | Apple pulp       |

# Ingredients Apple pulp

| Sensory proprieties   |
|---|
| The apple pulp has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters |         |       |
|------------------------------|---------|-------|
| Analyses                     | Unit    | Range |
| Brix                         | degrees | >11   |
| pH                           | _       | <4    |
|                              |         |       |

| Delivery                               |                           |
|--|---------------------------|
| Packaging                              | Best before end           |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C |
| temperature 0-5°C                      |                           |

| Raw material und legislation   |
|--|
| The apple pulp is prepared from fresh and healthy fruits according to good manufacturing practices |
| and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852)                         |
| According to suppliers' declarations fruits and process aids do not derive from or contain         |
| genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not          |
| contain allergens according to EU Regulation 2000/13.  |
| Organic production is possible according to the Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008      |
| The product is not exposed to ionizing radiation.  |



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Macinato di pera |
|----------------------|------------------|
| Produktbeschreibung  | Birnenmaische    |
| Product description  | Pear pulp        |

## Ingredients Pear pulp

| Sensory proprieties |  |
|---------------------|--|
|                     | The pear pulp has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters |         |       |
|------------------------------|---------|-------|
| Analyses                     | Unit    | Range |
| Brix                         | degrees | >11   |
| pH                           | -       | <4,5  |
|                              |         |       |

| Delivery                               |                           |
|--|---------------------------|
| Packaging                              | Best before end           |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C |
| temperature 0-5°C                      |                           |

| Raw material und legislation  |
|---|
| The pear pulp is prepared from fresh and healthy fruits according to good manufacturing practices |
| and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).                       |
| According to suppliers' declarations fruits and process aids do not derive from or contain        |
| genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not         |
| contain allergens according to EU Regulation 2000/13.   |
| The product is not exposed to ionizing radiation.   |



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Macinato di pesca |
|----------------------|-------------------|
| Produktbeschreibung  | Pfirsichmaische   |
| Product description  | Peach pulp        |

## Ingredients Peach pulp

| Sensory proprieties   |
|---|
| The peach pulp has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters |         |       |
|------------------------------|---------|-------|
| Analyses                     | Unit    | Range |
| Brix                         | degrees | >10   |
| pH                           | _       | <3,8  |
|                              |         |       |

| Delivery                               |                           |
|--|---------------------------|
| Packaging                              | Best before end           |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C |
| temperature 0-5°C                      |                           |

| Raw material und legislation   |
|--|
| The peach pulp is prepared from fresh and healthy fruits according to good manufacturing     |
| practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).        |
| According to suppliers' declarations fruits and process aids do not derive from or contain   |
| genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not     |
| contain allergens according to The EU Regulation 2000/13.                                    |
| Organic production is possible according to the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 |
| The product is not exposed to ionizing radiation.  |



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Macinato di albicocca |
|----------------------|-----------------------|
| Produktbeschreibung  | Aprikosenmaische      |
| Product description  | Apricot pulp          |

## Ingredients Apricot pulp

| Sensory proprieties   |
|---|
| The apricot pulp has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters |         |       |
|------------------------------|---------|-------|
| Analyses                     | Unit    | Range |
| Brix                         | degrees | >10   |
| pH                           |         | <3,8  |
|                              |         |       |

| Delivery                               |                           |
|--|---------------------------|
| Packaging                              | Best before end           |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C |
| temperature 0-5°C                      |                           |

| Raw material und legislation  |
|---|
| The apricot pulp is prepared from fresh and healthy fruits according to good manufacturing    |
| practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).         |
| According to suppliers' declarations fruits and process aids do not derive from or contain    |
| genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not      |
| contain allergens according to The EU Regulation 2000/13.                                     |
| Organic production is possible according to the Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 |
| The product is not exposed to ionizing radiation.   |



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Macinato di kiwi |
|----------------------|------------------|
| Produktbeschreibung  | Kiwimaische      |
| Product description  | Kiwi pulp        |

## **Ingredients** Kiwi pulp

| Sensory proprieties |  |  |
|---------------------|--|--|
|                     | The kiwi pulp has good colour and taste and smell typical of high quality fruits |  |

| Chemical-physical parameters |         |       |
|------------------------------|---------|-------|
| Analyses                     | Unit    | Range |
| Brix                         | degrees | >10   |
| pH                           | _       | <3,6  |
|                              |         |       |

| Delivery                               |                           |
|--|---------------------------|
| Packaging                              | Best before end           |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C |
| temperature 0-5°C                      |                           |

| Raw material und legislation  |
|---|
| The kiwi pulp is prepared from fresh and healthy fruits according to good manufacturing practices |
| and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).                       |
| According to suppliers' declarations fruits and process aids do not derive from or contain        |
| genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not          |
| contain allergens according to The EU Regulation 2000/13.   |
| Organic production is possible according to the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008      |
| The product is not exposed to ionizing radiation.   |



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Macinato di fragole |
|----------------------|---------------------|
| Produktbeschreibung  | Erdbeerenmaische    |
| Product description  | Strawberry pulp     |

## Ingredients

Strawberry pulp

## **Sensory proprieties** The strawberry pulp has good colour and taste and smell typical of high quality fruits

| Chemical-physical parameters |         |       |  |  |
|------------------------------|---------|-------|--|--|
| Analyses                     | Unit    | Range |  |  |
| Brix                         | degrees | >7    |  |  |
| pH                           | _       | <3,8  |  |  |
|                              |         |       |  |  |

| Delivery                               |                           |
|--|---------------------------|
| Packaging                              | Best before end           |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C |
| temperature 0-5°C                      |                           |

## **Raw material und legislation** The strawberry pulp is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13. Organic production is possible according to the Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo concentrato di pera limpido |
|----------------------|-----------------------------------|
| Produktbeschreibung  | Birnensaftkonzentrat blank        |
| Product description  | Pear juice concentrate clear      |

## Ingredients Pear juice concentrate

| Sensory proprieties  |
|--|
| The pear juice concentrate has good colour and taste and smell typical of high quality fruits. |

| Chemical-physical parameters      |         |           |  |
|-----------------------------------|---------|-----------|--|
| Analyses                          | Unit    | Range     |  |
| Brix                              | degrees | 70 +- 0.5 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 10-25     |  |
| Turbidity (11.2 brix)             | NTU     | <5        |  |
| pH                                |         | <4,5      |  |
|                                   |         |           |  |

| Delivery   |   |
|--|---|
| Packaging  | Best before end                                       |
| Bulk product sent in isolated tanks at temperature 0-5°C | 6 months if stored at 0-5°C                           |
| Aseptic bags in 200 lt drums                             | 1 year after production date at temperature 0-<br>5°C |

## Raw material und legislation

The pear juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo concentrato di mela limpido |
|----------------------|-----------------------------------|
| Produktbeschreibung  | Apfelsaftkonzentrat blank         |
| Product description  | Apple juice concentrate clear     |

## Ingredients Apple juice concentrate

| Sensory proprieties   |
|---|
| The apple juice concentrate has good colour and taste and smell typical of high quality fruits. |

| Chemical-physical parameters      |         |           |  |
|-----------------------------------|---------|-----------|--|
| Analyses                          | Unit    | Range     |  |
| Brix                              | degrees | 70 +- 0.5 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 10-30     |  |
| Turbidity (11.2 brix)             | NTU     | <10       |  |
| pH                                |         | <4        |  |
|                                   |         |           |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 6 months if stored at 0-5°C                                |
| Aseptic bags in 200 lt drums                             | 1 year after production date at temperature $0-5^{\circ}C$ |

## Raw material und legislation

The apple juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo concentrato di mela limpido biologico |
|----------------------|---|
| Produktbeschreibung  | Bio-Apfelsaftkonzentrat blank               |
| Product description  | Organic apple juice concentrate clear       |

# Ingredients Apple juice concentrate\* \*from organic agriculture

## **Sensory proprieties**

The organic apple juice concentrate has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |           |
|-----------------------------------|---------|-----------|
| Analyses                          | Unit    | Range     |
| Brix                              | degrees | 70 +- 0.5 |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 10-30     |
| Turbidity (11.2 brix)             | NTU     | <10       |
| pH                                |         | <4        |
|                                   |         |           |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 6 months if stored at 0-5°C                                |
| Aseptic bags in 200 lt drums                             | 1 year after production date at temperature $0-5^{\circ}C$ |

## Raw material und legislation

The organic apple juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo concentrato di mela limpido alta acidità |
|----------------------|--|
| Produktbeschreibung  | Apfelsaftkonzentrat blank hochsäurig           |
| Product description  | Apple juice concentrate clear high acidity     |

## Ingredients Apple juice concentrate

| Sensory proprieties  |
|--|
| The apple juice concentrate has good colour and taste and smell typical of high quality fruits |

| Chemical-physical parameters      |         |           |  |
|-----------------------------------|---------|-----------|--|
| Analyses                          | Unit    | Range     |  |
| Brix                              | degrees | 70 +- 0.5 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 25-35     |  |
| Turbidity (11.2 brix)             | NTU     | <10       |  |
| pH                                |         | <4        |  |
|                                   |         |           |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 6 months if stored at 0-5°C                                |
| Aseptic bags in 200 lt drums                             | 1 year after production date at temperature $0-5^{\circ}C$ |

## Raw material und legislation

The apple juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



| Sched  | la tecnica prodotto finito |
|--------|----------------------------|
| Fertig | produktspezifikation       |
| Final  | product specification      |

| Descrizione prodotto Succo concentrato di mela limpido biologico alta acidità |  |  |
|---|--|--|
| Produktbeschreibung   | Bio-Apfelsaftkonzentrat blank hochsäurig           |  |
| Product description   | Organic apple juice concentrate clear high acidity |  |

| Ingredients               |
|---------------------------|
| Apple juice concentrate*  |
| *from organic agriculture |

| Sensory proprieties  |             |
|--|-------------|
| The apple juice concentrate has good colour and taste and smell typical of high qual | ity fruits. |

| Chemical-physical parameters      |         |           |  |
|-----------------------------------|---------|-----------|--|
| Analyses                          | Unit    | Range     |  |
| Brix                              | degrees | 70 +- 0.5 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 25-35     |  |
| Turbidity (11.2 brix)             | NTU     | <10       |  |
| pH                                |         | <4        |  |
|                                   |         |           |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 6 months if stored at 0-5°C                                |
| Aseptic bags in 200 lt drums                             | 1 year after production date at temperature $0-5^{\circ}C$ |

## Raw material und legislation

The organic apple juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007 and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di fragola concentrato |
|----------------------|------------------------------|
| Produktbeschreibung  | Erdbeersaftkonzentrat        |
| Product description  | Strawberry juice concentrate |

## Ingredients

Strawberry juice concentrate

| Sensory proprieties  |
|--|
| The strawberry juice concentrate has good colour and taste and smell typical of high quality fruits. |

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >65   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 80-90 |  |
| Turbidity (11.2 brix)             | NTU     | <5    |  |
|                                   |         |       |  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 1 year after production date at temperature 0- |
| temperature 0-5°C                      | 5°C  |

## Raw material und legislation

The strawberry juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di amarena concentrato   |
|----------------------|--------------------------------|
| Produktbeschreibung  | Sauerkirschsaftkonzentrat      |
| Product description  | Black cherry juice concentrate |

### Ingredients

Black cherry juice concentrate

## **Sensory proprieties**

The black cherry juice concentrate has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | >65   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 60-75 |  |
| Turbidity (11.2 brix)             | NTU     | <5    |  |
|                                   |         |       |  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 1 year after production date at temperature 0- |
| temperature 0-5°C                      | 5°C  |

## Raw material und legislation

The black cherry juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo d'uva bianco concentrato |
|----------------------|--------------------------------|
| Produktbeschreibung  | Weißes Traubensaftkonzentrat   |
| Product description  | White grape juice concentrate  |

## Ingredients

White grape juice concentrate

## **Sensory proprieties**

The white grape juice concentrate has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |          |  |
|-----------------------------------|---------|----------|--|
| Analyses                          | Unit    | Range    |  |
| Brix                              | degrees | 65+- 0.5 |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 12-14    |  |
| Turbidity (16 brix)               | NTU     | <10      |  |
| pH (16 brix)                      |         | <4       |  |
| sulphur dioxid                    | mg/kg   | <40      |  |

| Delivery   |  |
|--|--|
| Packaging  | Best before end  |
| Bulk product sent in isolated tanks at temperature 0-5°C | 6 months if stored at 0-5°C                                |
| Aseptic bags in 200 lt drums                             | 1 year after production date at temperature $0-5^{\circ}C$ |

## Raw material und legislation

The white grape juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di kiwi concentrato |
|----------------------|---------------------------|
| Produktbeschreibung  | Kiwisaftkonzentrat        |
| Product description  | Kiwi juice concentrate    |

| Ingredients            |  |
|------------------------|--|
| Kiwi juice concentrate |  |

| Sensory pr  | roprieties   |
|-------------|--|
| The kiwi ju | uice concentrate has good colour and taste and smell typical of high quality fruits. |

| Chemical-physical parameters      |         |       |
|-----------------------------------|---------|-------|
| Analyses                          | Unit    | Range |
| Brix                              | Degrees | 65+-1 |
| pH                                | _       | <3.8  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 55-75 |
| Turbidity (11.2 brix)             | NTU     | <10   |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 1 year after production date at temperature 0- |
| temperature 0-5°C                      | 5°C  |

## Raw material und legislation

The kiwi juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di melograno concentrato |
|----------------------|--------------------------------|
| Produktbeschreibung  | Granatäpfelkonzentrat          |
| Product description  | Pomegranate juice concentrate  |

## Ingredients

Pomegranate juice concentrate

## **Sensory proprieties**

The pomegranate juice concentrate has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters    |         |        |
|---------------------------------|---------|--------|
| Analyses                        | Unit    | Range  |
| Brix                            | Degrees | >65    |
| pH                              |         | <4     |
| Acidity (citric acid at pH 8.1) | w/w     | 2.8-9  |
| Turbidity (16 brix)             |         | <200   |
| Colour (160 brix, 430 nm)       | Abs     | <0.150 |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 1 year after production date at temperature 0- |
| temperature 0-5°C                      | 5°C  |

## Raw material und legislation

The pomegranate juice concentrate is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Succo di carota torbido      |
|----------------------|------------------------------|
| Produktbeschreibung  | Karottendirektsaft naturtrüb |
| Product description  | Cloudy carrot juice          |

## Ingredients

Carrot juice, lemon juice concentrate

## **Sensory proprieties**

The cloudy carrot juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | 7-9   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-2   |  |
| Turbidity                         | NTU     | <5000 |  |
| pH                                |         | 5-5.3 |  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end  |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                                      |
| temperature 0-5°C                      |  |
| Aseptic bag in 200 L drums             | 12 months after production date at temperature 0-25°C          |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature $0-25^{\circ}C$ |
| Aseptic bag in 3 or 5 L box            | 12 months after production date at temperature 0-25°C          |

## Raw material und legislation

The cloudy carrot juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms (as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di carota biologico        |
|----------------------|----------------------------------|
| Produktbeschreibung  | Bio-Karottendirektsaft naturtrüb |
| Product description  | Organic cloudy carrot juice      |

| Ingredients                                 |
|---|
| Carrot juice*, organic lemon juice nfc (1%) |
| *from organic agriculture                   |

## Sensory proprieties The organic carrot juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | 7-9   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-2   |  |
| Turbidity                         | NTU     | <5000 |  |
| pH                                |         | 5-5.3 |  |
|                                   |         |       |  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 12 months after production date at temperature |
|  | 0-25°C   |

## Raw material und legislation

The organic carrot juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852). Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.

Organic production follows Reg. (CE) N.834/2007and Reg. (CE) N.889/2008 The product is not exposed to ionizing radiation.



| Scheda tecnica prodotto finito<br>Fertigproduktspezifikation |  |
|--|--|
| Final product specification                                  |  |

| Descrizione prodotto | Succo di carota demeter              |
|----------------------|--------------------------------------|
| Produktbeschreibung  | Demeter-Karottendirektsaft naturtrüb |
| Product description  | Demeter cloudy carrot juice          |

## Ingredients

Carrot juice\*, organic lemon juice nfc \*\*(1%) \*from organic and biodynamic agriculture, \*\*from organic agriculture

## Sensory proprieties

The demeter carrot juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |       |
|-----------------------------------|---------|-------|
| Analyses                          | Unit    | Range |
| Brix                              | degrees | 7-9   |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 1-2   |
| Turbidity                         | NTU     | <5000 |
| pH                                |         | <5    |
|                                   |         |       |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                      |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 12 months after production date at temperature |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 12 months after production date at temperature |
|  | 0-25°C   |

## Raw material und legislation

The Demeter cloudy carrot juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13. The product is not exposed to ionizing radiation.

The production follows organic Reg. (CE) N.834/2007 and (CE) N.889/2008 and the biodynamic guidelines –Norme direttive (Standard) per il conseguimento dell'autorizzazione all'uso del marchio Demeter.Trasformazione-giugno 2007- and -Norme direttive (Standard) per l'etichettatura dei prodotti Demeter



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di mela e carota torbido      |
|----------------------|-------------------------------------|
| Produktbeschreibung  | Apfel- Karottendirektsaft naturtrüb |
| Product description  | Cloudy apple and carrot juice       |

## Ingredients

Apple juice (80%), carrot juice (20%); anti-oxidant: ascorbic acid

| Sensory proprieties   |                         |
|---|-------------------------|
| The cloudy apple and carrot juice has good colour and taste and smell typical | of high quality fruits. |

| Chemical-physical parameters      |         |          |  |
|-----------------------------------|---------|----------|--|
| Analyses                          | Unit    | Range    |  |
| Brix                              | degrees | >10      |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 2-4      |  |
| Turbidity                         | NTU     | 500-2000 |  |
| pH                                |         | <4       |  |
| Pulp                              | %       | <0,3     |  |
| Ascorbic acid                     | ppm     | 100-500  |  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                  |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                        |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 8 months after production date at temperature    |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 8 months after production date at temperature    |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 8 months after production date at temperature 0- |
|  | 25°C   |

## Raw material und legislation

The cloudy apple and carrot juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.



|  |  | Scheda tecnica prodotto finito<br>Fertigproduktspezifikation<br>Final product specification |  |
|--|--|---|--|
|--|--|---|--|

| Descrizione prodotto | Succo di mela e bergamotto torbido    |
|----------------------|---------------------------------------|
| Produktbeschreibung  | Apfel- Bergamottodirektsaft naturtrüb |
| Product description  | Cloudy apple and bergamotto juice     |

## Ingredients

Apple juice (80%), bergamotto juice (20%); anti-oxidant: ascorbic acid

## **Sensory proprieties**

The cloudy apple and bergamotto juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |          |
|-----------------------------------|---------|----------|
| Analyses                          | Unit    | Range    |
| Brix                              | degrees | >9       |
| Acidity (tartaric acid at pH 7.0) | g/kg    | >4       |
| Turbidity                         | NTU     | 500-2000 |
| pH                                |         | <3.8     |
| Pulp                              | %       | <0,3     |
| Ascorbic acid                     | ppm     | 100-500  |

| Delivery                               |  |
|--|--|
| Packaging                              | Best before end                                  |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                        |
| temperature 0-5°C                      |  |
| Aseptic bags in 200 lt drums           | 6 months after production date at temperature    |
|  | 0-25°C   |
| Aseptic bags in octabins or arcabins   | 6 months after production date at temperature    |
|  | 0-25°C   |
| Aseptic bag in 3 or 5 lt box           | 6 months after production date at temperature 0- |
|  | 25°C   |

## Raw material und legislation

The cloudy apple and bergamotto juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

Ascorbic acid is normally added as anti-oxidant.

Depending on customer's requirements a production without ascorbic acid is possible. According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not

contain allergens according to The EU Regulation 2000/13.



| Scheda tecnica prodotto finito |  |
|--------------------------------|--|
| Fertigproduktspezifikation     |  |
| Final product specification    |  |

| Descrizione prodotto | Succo di bergamotto torbido    |
|----------------------|--------------------------------|
| Produktbeschreibung  | Bergamottodirektsaft naturtrüb |
| Product description  | Cloudy bergamotto juice        |

## Ingredients

bergamotto juice

## **Sensory proprieties**

The cloudy bergamotto juice has good colour and taste and smell typical of high quality fruits.

| Chemical-physical parameters      |         |       |  |
|-----------------------------------|---------|-------|--|
| Analyses                          | Unit    | Range |  |
| Brix                              | degrees | 7-9   |  |
| Acidity (tartaric acid at pH 7.0) | g/kg    | 30-40 |  |
| Acidity (citric acid at pH 8.1)   | g/kg    | 27-37 |  |
| Turbidity                         | NTU     | >1000 |  |
| pH                                |         | <3    |  |
| Pulp                              | %       | <0,3  |  |

| Delivery                               |   |  |
|--|---|--|
| Packaging                              | Best before end                                 |  |
| Bulk product sent in isolated tanks at | 5 days if stored at 0-5°C                       |  |
| temperature 0-5°C                      |   |  |
| Aseptic bags in 200 lt drums           | 2 years after production date at temperature 0- |  |
|  | 25°C  |  |
| Aseptic bags in octabins or arcabins   | 2 years after production date at temperature 0- |  |
|  | 25°C  |  |
| Aseptic bag in 3 or 5 lt box           | 1 year after production date at temperature 0-  |  |
|  | 25°C  |  |

## Raw material und legislation

The cloudy bergamotto juice is prepared from fresh and healthy fruits according to good manufacturing practices and under sanitary conditions appropriate to foodstuffs (Reg. EC 2004/852).

According to suppliers' declarations fruits and process aids do not derive from or contain genetically modified organisms as defined by Reg. CE.1829/2003 and 1830/2003) and do not contain allergens according to The EU Regulation 2000/13.